



CATALOGUE



contact@b2protec.fr

+33 (0) 4 72 07 81 07

CONFORME PMUC

SOMMAIRE

3 **BOUCHONS CONIQUES**



10 **BOUCHONS PROTECTEURS
DE BRIDES AVEC
COLLERETTE**



12 **BOUCHONS POUR TUBES**



24 **BOUCHONS PROTECTEURS
DE BRIDES**




26 **BOUCHONS
PROTECTEURS DE BRIDES**




BOUCHONS DE PROTECTION CONIQUES**Dimensions (en mm)**

d₁	d₂	D	H	REF
8.1	9.2	11.0	7.0	BC270_8.1
9.8	11.0	12.0	7.0	BC270_9.8
10.6	11.6	14.0	7.0	BC270_10.6
11.4	12.4	15.0	7.0	BC270_11.4
13.3	14.4	16.0	7.0	BC270_13.3
14.0	15.1	17.0	7.0	BC270_14.0
14.6	15.6	18.0	7.3	BC270_14.6
15.3	16.4	18.0	7.0	BC270_15.3
16.0	17.3	20.0	9.0	BC270_16.0
17.4	18.8	21.0	9.0	BC270_17.4
18.2	19.2	22.0	9.0	BC270_18.2
18.7	20.0	23.8	8.7	BC270_18.7
19.8	21.2	24.0	9.0	BC270_19.8

**CONFORME PMUC**


BOUCHONS DE PROTECTION CONIQUES**Dimensions (en mm)**

d₁	d₂	D	H	REF
20.3	22.6	25.0	14.0	BC270_20.3
21.2	23.3	26.0	14.0	BC270_21.2
23.0	25.0	28.0	14.0	BC270_23.0
24.3	26.4	30.0	14.0	BC270_24.3
25.7	27.8	30.0	14.0	BC270_25.7
27.2	29.3	32.0	14.0	BC270_27.2
30.0	32.0	35.0	14.0	BC270_30.0
32.0	34.0	38.0	14.0	BC270_32.0
33.6	36.0	40.0	14.0	BC270_33.6
34.5	37.0	41.0	14.0	BC270_34.5
36.0	37.8	42.0	14.0	BC270_36.0
37.9	40.0	44.0	14.0	BC270_37.9
38.5	41.0	43.0	14.0	BC270_38.5

**CONFORME PMUC**


BOUCHONS DE PROTECTION CONIQUES**Dimensions (en mm)**

d₁	d₂	D	H	REF
39.8	42.0	46.0	14.0	BC270_39.8
41.3	43.5	47.0	14.0	BC270_41.3
43.9	46.5	52.0	13.5	BC270_43.9
45.5	47.5	54.0	14.0	BC270_45.5
47.9	50.0	54.0	13.5	BC270_47.9
49.8	51.8	58.0	14.0	BC270_49.8
49.8	51.7	82.0	18.0	BC270_49.8
50.5	53.3	62.7	14.1	BC270_50.5
52.5	53.3	58.0	13.9	BC270_52.5
54.5	56.2	63.0	14.0	BC270_54.5
55.5	56.3	61.0	13.0	BC270_55.5
57.0	58.6	62.9	13.5	BC270_57.0
58.5	60.8	64.0	12.7	BC270_58.5
60.5	62.3	66.0	13.5	BC270_60.5

**CONFORME PMUC**


BOUCHONS DE PROTECTION CONIQUES**Dimensions (en mm)**

d₁	d₂	D	H	REF
61.3	63.5	67.0	14.0	BC270_61.3
62.5	64.8	68.0	13.5	BC270_62.5
60.7	66.3	75.0	30.0	BC270_60.7
66.0	67.9	75.0	13.0	BC270_66.0
67.9	69.5	74.0	13.0	BC270_67.9
69.8	72.6	80.3	17.7	BC270_69.8
71.5	73.4	77.8	16.3	BC270_71.5
72.8	74.0	79.0	18.0	BC270_72.8
74.0	76.6	85.0	17.8	BC270_74.0
76.5	79.0	87.2	18.7	BC270_76.5
77.5	80.0	88.0	17.0	BC270_77.5
79.0	82.0	90.0	29.0	BC270_79.0
81.5	83.6	92.0	17.0	BC270_81.5
84.0	87.1	95.0	17.7	BC270_84.0

**CONFORME PMUC**


BOUCHONS DE PROTECTION CONIQUES**Dimensions (en mm)**

d₁	d₂	D	H	REF
86.5	89.0	97.0	17.0	BC270_86.5
89.0	91.5	100.0	17.0	BC270_89.0
91.5	93.9	101.2	18.5	BC270_91.5
94.0	97.1	105.0	17.7	BC270_94.0
96.5	99.0	107.0	17.0	BC270_96.5
96.7	102.5	110.0	30.0	BC270_96.7
101.5	104.0	112.0	17.0	BC270_101.5
104.0	106.5	115.0	17.0	BC270_104.0
106.0	111.0	120.0	23.0	BC270_106.0
110.0	114.5	123.0	27.4	BC270_110.0
114.0	116.5	125.0	19.0	BC270_114.0
119.0	123.0	130.0	23.0	BC270_119.0
124.0	127.0	135.0	30.0	BC270_124.0
127.5	133.0	140.0	23.0	BC270_127.5

**CONFORME PMUC**


BOUCHONS DE PROTECTION CONIQUES**Dimensions (en mm)**

d₁	d₂	D	H	REF
133.0	137.0	145.0	18.7	BC270_133.0
139.0	143.0	152.0	27.8	BC270_139.0
149.0	153.0	160.8	30.1	BC270_149.0
153.5	157.5	167.0	38.0	BC270_153.5
160.0	163.0	172.0	38.0	BC270_160.0
164.0	166.0	174.0	21.5	BC270_164.0
168.0	175.0	190.0	38.0	BC270_168.0
169.0	172.0	179.0	21.6	BC270_169.0
173.0	181.3	195.0	38.5	BC270_173.0
179.0	185.0	195.0	38.5	BC270_179.0
187.5	191.5	197.5	21.7	BC270_187.5
192.0	200.0	215.0	38.0	BC270_192.0
199.0	204.0	214.0	38.0	BC270_199.0
203.5	208.5	216.0	26.0	BC270_203.5

**CONFORME PMUC**

BOUCHONS DE PROTECTION CONIQUES**Dimensions (en mm)**

d₁	d₂	D	H	REF
209.0	213.0	223.0	26.5	BC270_209.0
218.0	226.0	237.0	46.4	BC270_218.0
221.5	230.0	237.0	23.7	BC270_221.5
223.0	230.5	240.0	38.0	BC270_223.0
232.0	239.0	250.0	46.0	BC270_232.0
239.0	250.0	263.0	46.0	BC270_239.0
249.0	254.0	264.0	46.0	BC270_249.0
255.0	261.0	280.0	46.0	BC270_255.0
270.5	281.0	296.0	46.0	BC270_270.5
278.0	286.0	304.0	46.0	BC270_278.0
284.0	293.0	315.0	46.0	BC270_284.0
292.0	299.0	315.0	46.0	BC270_292.0
298.0	301.0	314.0	23.0	BC270_298.0
305.0	316.0	330.0	46.0	BC270_305.0
313.0	325.0	340.0	50.5	BC270_313.0

**CONFORME PMUC**